



Type Approval - Electrical

Approval Number	EL 00013 (version 2)
Manufacturer	Coast Electrical Industries – Isolation Transformer Padmount Assembly.
Manufacturing Plant	Not applicable.
Product Description	<p>Coast Electrical Industries padmount assembly incorporating drawings: CEID1110, CEID 1240, CEID 1264, CEID 1267, CEID 1268, CEID 1276, CEID 1278, CEID 1290, CEID 1291</p> <p>In particular main difference with General design drawings EL0474149 & EL0474151:</p> <ol style="list-style-type: none">1. Arai Universal polyester panel (part no: ARIA86) - Equivalent product to SAREL enclosure as specified on EL0474149 (Items 1,2 & 3) & equivalent product to SAREL enclosure as specified on EL0474151 (Items 1)2. DSMSB and metering panels are mounted to steel frame with insulating board.3. Metering metal shield is not required with this arrangement (item 30 of EL0474149).
Approved for	<ol style="list-style-type: none">1. Use in accordance with drawing EL0474151 Distribution Padmount Substation – Low Voltage Switchboard (DSMB)2. Use in accordance with drawing EL0474149 Distribution Padmount Substation – Double Insulated Metering Panel
Conditions	This type approval is for the padmount assembly only and does not include the transformers. Type approved transformers are detailed in separate type approval certificates.

Approved:

Date:

Neal Hook, Lead Electrical Engineer